

CD Chemokine Combo 1 (NHP)

Catalog Number: AK1657

Catalog Number 2	Size	Price in USD
AK1657-1	1 plate	Online Inquiry
AK1657-2	5 plates	Online Inquiry
AK1657-4	25 plates	Online Inquiry

Product Information

Product Name	CD Chemokine Combo 1 (NHP)
Description	CD Combos offer popular panels of biomarkers that have been grouped together for convenient ordering. They have been tested for multiplex compatibility and are fulfilled as a kit. The CD Chemokine Combo 1 (NHP) contains assays for 10 well-established chemokines (Table 1). The assays can be used for quantitative measurements in the sample types listed in the "Specifications" tab below, and offer detection limits (LLODs) in the sub- to low pg/mL range.
Applications	Cytokines & Chemokines , Immunology/Inflammation
Analytes	Eotaxin, Eotaxin-3, IL-8, IP-10, MCP-1, MCP-4, MDC, MIP-1 α , MIP-1 β , TARC
Species	Non-human primate
Instruments	SECTOR Imager 2400 , MESO SECTOR S 600MM , SECTOR Imager 6000 , MESO QuickPlex SQ 120MM , MESO QuickPlex SQ 120 , MESO SECTOR S 600
Sample Type	Serum, Plasma, Cell Culture Supernatant
Schedule B Code	3002.15.0100
Plate Type	96-well
Usage	For Research Use Only. Not for use in diagnostic procedures.
Storage Conditions	Multi-Component

Kit Contents

AK1657-1

Product Description	Storage	Quantity per Kit
Calibrator 1	2-8 °C	1 vial(1 vial)
CD Human MIP-1 α Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human MDC Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)

Kit Contents		
CD Human MCP-4 Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human MCP-1 Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human IP-10 Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human Eotaxin-3 Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human Eotaxin Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human IL-8 Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Linker Set, 10-Assay (300 µL)	2-8 °C	1 each(1 vial)
CD Human MIP-1 β Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
CD Human TARC Antibody Set (1 Plate Size)	2-8 °C	1 each(1 plate size)
Calibrator 2	2-8 °C	1 vial(1 vial)
CD 10-Assay, 96-Well SECTOR Plate	2-8 °C	1 each(1 plate)
CD Stop Solution	2-8 °C	1 bottle(40 mL)
Diluent 3	$\leq$ -10 °C	1 bottle(8 mL)
Diluent 57	$\leq$ -10 °C	1 bottle(10 mL)
MSD GOLD Read Buffer B	RT	1 bottle(90 mL)

AK1657-2

Product Description	Storage	Quantity per Kit
CD Human MCP-1 Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Linker Set, 10-Assay (1.8 mL)	2-8 °C	1 each(1 vial)
CD Human IL-8 Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Human Eotaxin-3 Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
MSD GOLD Read Buffer B	RT	1 bottle(90 mL)
Diluent 57	$\leq$ -10 °C	1 bottle(50 mL)

Kit Contents		
CD Stop Solution	2-8 °C	1 bottle(40 mL)
CD Human IP-10 Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Human MCP-4 Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Human MDC Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Human MIP-1 α Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Human MIP-1 β Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD Human TARC Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
CD NHP Eotaxin Antibody Set (5 Plate Size)	2-8 °C	1 each(5 plate size)
Calibrator 1	2-8 °C	5 vial(1 vial)
Calibrator 2	2-8 °C	5 vial(1 vial)
CD 10-Assay, 96-Well SECTOR Plate	2-8 °C	5 each(1 plate)
Diluent 3	$\leq$ -10 °C	1 bottle(40 mL)

AK1657-4

Product Description	Storage	Quantity per Kit
MSD GOLD Read Buffer B	RT	5 bottle(90 mL)
CD Linker Set, 10-Assay (1.8 mL)	2-8 °C	5 each(1 vial)
CD Human IL-8 Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Human Eotaxin-3 Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Human IP-10 Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Human MCP-1 Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Human MCP-4 Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Human MDC Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)

Kit Contents

CD Human MIP-1 α Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Human TARC Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
Diluent 57	$\leq$ -10 °C	5 bottle(50 mL)
Diluent 3	$\leq$ -10 °C	5 bottle(40 mL)
CD Human MIP-1 β Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)
CD Stop Solution	2-8 °C	5 bottle(40 mL)
CD 10-Assay, 96-Well SECTOR Plate	2-8 °C	25 each(1 plate)
Calibrator 2	2-8 °C	25 vial(1 vial)
Calibrator 1	2-8 °C	25 vial(1 vial)
CD NHP Eotaxin Antibody Set (5 Plate Size)	2-8 °C	5 each(5 plate size)