

CIITA Knockout cell line (A549)

Catalog Number: KO00106

Product Information

Product Name	CIITA Knockout cell line (A549)
specification	1*10 ⁶
Storage and transportation	Dry ice preservation/T25 live cell transportation.
Cell morphology	Epithelioid, adherent cell
Passage ratio	1:3~1:4
species	Human
Gene	CIITA
Gene ID	4261
Build method	Electric rotation method / virus method
Mycoplasma testing	Negative
Cultivation system	90% F12K+10% FBS
Parental Cell Line	A549
Quality Control	Genotype: CIITA Knockout cell line (A549) >95% viability before freezing. All cells were tested and found to be free of bacterial, viruses, mycoplasma and other toxins.

Gene Information

Gene Official Full Name	class II major histocompatibility complex transactivator provided by HGNC
Also known as	C2TA; NLRA; MHC2D1; MHC2TA; CIITAIV
Gene Description	This gene encodes a protein with an acidic transcriptional activation domain, 4 LRRs (leucine-rich repeats) and a GTP binding domain. The protein is located in the nucleus and acts as a positive regulator of class II major histocompatibility complex gene transcription, and is referred to as the "master control factor" for the expression of these genes. The protein also binds GTP and uses GTP binding to facilitate its own transport into the nucleus. Once in the nucleus it does not bind DNA but rather uses an intrinsic acetyltransferase (AT) activity to act in a coactivator-like fashion. Mutations in this gene have been associated with bare lymphocyte syndrome type II (also known as hereditary MHC class II deficiency or HLA class II-deficient combined immunodeficiency), increased susceptibility to rheumatoid arthritis, multiple sclerosis, and possibly myocardial infarction. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2013]

Expression

Broad expression in spleen (RPKM 12.7), lymph node (RPKM 11.9) and 19 other tissues [See more](#)