

## CCNE1 Knockout cell line (HCT 116)

Catalog Number: KO01691

Product Information	
Product Name	CCNE1 Knockout cell line (HCT 116)
specification	1*10 <sup>6</sup>
Storage and transportation	Dry ice preservation/T25 live cell transportation.
Cell morphology	Epithelioid, adherent cell
Passage ratio	1:2~1:4
species	Human
Gene	CCNE1
Gene ID	898
Build method	Electric rotation method / virus method
Mycoplasma testing	Negative
Cultivation system	90%McCoy's 5A+10% FBS
Parental Cell Line	HCT 116
Quality Control	Genotype: CCNE1 Knockout cell line (HCT 116) >95% viability before freezing. All cells were tested and found to be free of bacterial, viruses, mycoplasma and other toxins.

Gene Information	
Gene Official Full Name	cyclin E1provided by HGNC
Also known as	CCNE; pCCNE1
Gene Description	<p>The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with and functions as a regulatory subunit of CDK2, whose activity is required for cell cycle G1/S transition. This protein accumulates at the G1-S phase boundary and is degraded as cells progress through S phase. Overexpression of this gene has been observed in many tumors, which results in chromosome instability, and thus may contribute to tumorigenesis. This protein was found to associate with, and be involved in, the phosphorylation of NPAT protein (nuclear protein mapped to the ATM locus), which participates in cell-cycle regulated histone gene expression and plays a critical role in promoting cell-cycle progression in the absence of pRB. [provided by RefSeq, Apr</p>

	2016]
Expression	Biased expression in placenta (RPKM 16.5), bone marrow (RPKM 11.3) and 12 other tissues See more