

CYP51A1 Knockout cell line (A549)

Catalog Number: KO18431

| Product Information | |
|----------------------------|---|
| Product Name | CYP51A1 Knockout cell line (A549) |
| specification | 1*10^6 |
| Storage and transportation | Dry ice preservation/T25 live cell transportation. |
| Cell morphology | Epithelioid, adherent cell |
| Passage ratio | 1:3~1:4 |
| species | Human |
| Gene | CYP51A1 |
| Gene ID | 1595 |
| Build method | Electric rotation method / virus method |
| Mycoplasma testing | Negative |
| Cultivation system | 90% F12K+10% FBS |
| Parental Cell Line | A549 |
| Quality Control | Genotype: CYP51A1 Knockout cell line (A549) >95% viability before freezing. All cells were tested and found to be free of bacterial, viruses,mycoplasma and other toxins. |

| Gene Information | |
|-------------------------|--|
| Gene Official Full Name | cytochrome P450 family 51 subfamily A member 1provided by HGNC |
| Also known as | LDM; CP51; CYP51; CYPL1; P450L1; P450-14DM |
| Gene Description | This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This endoplasmic reticulum protein participates in the synthesis of cholesterol by catalyzing the removal of the 14alpha-methyl group from lanosterol. Homologous genes are found in all three eukaryotic phyla, fungi, plants, and animals, suggesting that this is one of the oldest cytochrome P450 genes. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2009] |
| Expression | Broad expression in liver (RPKM 53.6), testis (RPKM 45.9) and 25 other tissues See more |