

XPA Knockout cell line (HEK293)

Catalog Number: KO34803

| Product Information | |
|----------------------------|--|
| Product Name | XPA Knockout cell line (HEK293) |
| specification | 1*10 ⁶ |
| Storage and transportation | Dry ice preservation/T25 live cell transportation. |
| Cell morphology | Epithelioid, adherent cell |
| Passage ratio | 1:3~1:6 |
| species | Human |
| Gene | XPA |
| Gene ID | 7507 |
| Build method | Electric rotation method / virus method |
| Mycoplasma testing | Negative |
| Cultivation system | 90%DMEM+10% FBS |
| Parental Cell Line | HEK293 |
| Quality Control | Genotype: XPA Knockout cell line (HEK293) >95% viability before freezing. All cells were tested and found to be free of bacterial, viruses, mycoplasma and other toxins. |

| Gene Information | |
|-------------------------|--|
| Gene Official Full Name | XPA, DNA damage recognition and repair factor provided by HGNC |
| Also known as | XP1; XPAC |
| Gene Description | This gene encodes a zinc finger protein plays a central role in nucleotide excision repair (NER), a specialized type of DNA repair. NER is responsible for repair of UV radiation-induced photoproducts and DNA adducts induced by chemical carcinogens and chemotherapeutic drugs. The encoded protein interacts with DNA and several NER proteins, acting as a scaffold to assemble the NER incision complex at sites of DNA damage. Mutations in this gene cause Xeroderma pigmentosum complementation group A (XP-A), an autosomal recessive skin disorder featuring hypersensitivity to sunlight and increased risk for skin cancer. [provided by RefSeq, Aug 2017] |
| Expression | Ubiquitous expression in thyroid (RPKM 6.2), fat (RPKM 4.7) and 25 other tissues See more |